



Product Service

# Attestation of Conformity

No. N8A 133809 0001 Rev. 00

**Holder of Attestation:** **Xiamen LinkPower Tech. Co., Ltd.**

4th Floor Building 3, No.29 Xinle Road,  
Haicang District  
361026 Xiamen, Fujian  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **AC electric vehicle charging station  
(Electric Vehicle Charger)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 4853325004100

**Date,** 2025-09-05

( Pengdong Yang )

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 133809 0001 Rev. 00

## Model(s):

CP308 or CP302 or HP102 series  
 CP308 o p v - w x y z, CP302 o p v - w x y z, HP102 o p v - w x y z  
 I: Enclosure name:  
 CP308; HP102; CP302  
 II: "o" denotes for rated output power in kW, "o" can be:  
 S: 7 kW; E: 11 kW; T: 22 kW.  
 III: "p" denotes for RCCB device, "p" can be:  
 1, 3: With RCCB, E: Without RCCB  
 IV: "v" denotes for power meter, "v" can be:  
 1, 3: with power meter; E: Without power meter  
 V: "w" denotes for output methods, "w" can be:  
 C: Case B, socket-outlet located in the front of the enclosure;  
 2: Case C  
 VI: "x" denotes for networking function, "x" can be:  
 R: RFID; W: WiFi; B: Combination matching  
 VII: "y" denotes for Screen, "y" can be:  
 N: None Screen; 2: 2.8" LCD Screen; 7: 7" LCD Screen  
 VIII: "z" denotes for colour of enclosure, "z" can be:  
 BK: Black; MS: Metallic Silver; BN: Brown; RD: Red; OG: Orange;  
 GN: Green; YE: Yellow; BU: Blue; VT: Violet; GY: Grey; WH:  
 White; PK: Pink; GD: Gold; TQ: Turquoise

## Parameters:

| Model                 | CP302SEE- 2 x y z | CP302EEE- 2 x y z | CP302TEE- 2 x y z |
|-----------------------|-------------------|-------------------|-------------------|
| Rated voltage (V)     | 1/N/PE ~ 230V±10% | 3/N/PE ~ 400V±10% | 3/N/PE ~ 400V±10% |
| Rated current (A)     | 32                | 16                | 32                |
| Rated power (kW)      | 7.4               | 11                | 22                |
| Rated frequency (Hz)  | 50, 60            |                   |                   |
| Connection method     | Case C            |                   |                   |
| Degree of protection  | IP65              |                   |                   |
| Protection class      | I                 |                   |                   |
| Operating temperature | -30°C to 50°C     |                   |                   |

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 133809 0001 Rev. 00

| Model                 | CP308S p v - w x y z       | CP308E p v - w x y z | CP308T p v - w x y z |
|-----------------------|----------------------------|----------------------|----------------------|
| Rated voltage (V)     | 1/N/PE ~ 230V±10%          | 3/N/PE ~ 400V±10%    | 3/N/PE ~ 400V±10%    |
| Rated current (A)     | 32                         | 16                   | 32                   |
| Rated power (kW)      | 7.4                        | 11                   | 22                   |
| Rated frequency (Hz)  | 50, 60                     |                      |                      |
| Connection method     | Case B or Case C           |                      |                      |
| Degree of protection  | Case B: IP55, Case C: IP65 |                      |                      |
| Protection class      | I                          |                      |                      |
| Operating temperature | -30°C to 50°C              |                      |                      |

| Model                 | HP102SEE - w x y z         | HP102EEE - w x y z | HP102TEE - w x y z |
|-----------------------|----------------------------|--------------------|--------------------|
| Rated voltage (V)     | 1/N/PE ~ 230V±10%          | 3/N/PE ~ 400V±10%  | 3/N/PE ~ 400V±10%  |
| Rated current (A)     | 32                         | 16                 | 32                 |
| Rated power (kW)      | 7.4                        | 11                 | 22                 |
| Rated frequency (Hz)  | 50, 60                     |                    |                    |
| Connection method     | Case B or Case C           |                    |                    |
| Degree of protection  | Case B: IP55, Case C: IP65 |                    |                    |
| Protection class      | I                          |                    |                    |
| Operating temperature | -30°C to 50°C              |                    |                    |

**Tested  
according to:**

EN IEC 61851-1:2019

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.